

Particle Composition at High p_T in Au+Au Collisions at RHIC

Tatsuya Chujo (BNL)
for the PHENIX Collaboration

The logo for Brookhaven National Laboratory, featuring the word "BROOKHAVEN" in a bold, black, sans-serif font above the words "NATIONAL LABORATORY" in a smaller, black, sans-serif font. A stylized grey and red graphic element resembling a particle detector component is positioned behind the text.

Hadron Production at High p_T in AA

- Hard processes in AA are sensitive to the early partonic phase of reaction.
- Any departures from the expected binary collision scaling (N_{coll}) behavior provide the information on the strong interacting medium in AA collisions.

Nuclear Modification Factor


$$R_{AA}(p_T) = \frac{d^2 N^{AA} / dp_T d\eta}{T_{AA} d^2 \eta^{NN} / dp_T d\eta}$$

$\langle N_{\text{binary}} \rangle / \eta_{\text{inel}}^{p+p}$

NN cross section

- **Scenario 1** : $R_{AA} = 1$: Scale with # of binary collisions (N_{coll}).
- **Scenario 2** : $R_{AA} > 1$: Cronin effect (observed in ISR and SPS).
- **Scenario 3** : $R_{AA} < 1$: **Suppression.**

130 GeV Results (1): π^0, h suppression at high p_T




- Both charged hadron and π^0 are suppressed in AuAu central at high p_T at RHIC ($R_{AA} < 1$).
 \square A possible consequence of parton energy loss via gluon radiation in dense medium (“jet quenching”).
- But $R_{AA}(\pi^0) < R_{AA}(h)$:
 Suggests the importance to study the particle composition at high p_T .

PHENIX

PRL 88, 022301 (2002)

130 GeV Results (2) : Proton vs. pion



- Proton yield is comparable to π yield in central AuAu at $p_T = 1.5 \sim 3.5 \text{ GeV}/c$.

- Needed more statistics.

\square 200 GeV DATA

PHENIX
PRL 88, 242301 (2002)

In this presentation...

We present the high statistics proton and anti-proton p_T spectra and their centrality dependencies in Au+Au collisions at $s_{NN} = 200$ GeV at mid-rapidity from the PHENIX experiment.

- Feed-down corrected p and pbar p_T spectra.
- N_{coll} scaling behavior.
- Central-to-Peripheral ratio (R_{CP}) for p and π^0 .
- p/π (pbar/ π) ratio vs. p_T and centrality.
- h/π ratio vs. p_T and centrality.


**** To be submitted to PRL soon.***

PHENIX Experiment and PID




π^0 PID by EMCal

via $\pi^0 \rightarrow \gamma\gamma$ ($1 < p_T < 10 \text{ GeV}/c$)
 6 lead- Scintillator (PbSc) sectors
 2 lead- glass (PbGl) sectors
 $\epsilon_{\text{EMCal}} = 1\%$
 $\epsilon_{\text{EMCal}} = 0.7$




Charged PID by TOF

(DCH+PC1+TOF+BBC)
 $\epsilon_{\text{TOF}}/K < 2 \text{ GeV}/c$, $K/p < 4 \text{ GeV}/c$
 $\epsilon_{\text{TOF}} = \epsilon_{\text{TOF}}/8$





Beam View




Collision Centrality Determination

PHENIX Detector - Second Year Physics Run




- Centrality selection : Used charge sum of Beam-Beam Counter (**BBC**, $|\eta|=3\sim 4$) and energy of Zero-degree calorimeter (**ZDC**) in minimum bias events (92% of total inelastic cross sections).
- Extracted N_{coll} and N_{part} based on Glauber model.

Proton and anti-proton spectra in AuAu at 200 GeV




- Corrected for weak decay feed-down effect ($\sim 40\%$ at 0.6 GeV/c, $\sim 25\%$ at 4 GeV/c).
- **Strong centrality dependence in spectra shape at low p_T (< 1.5 GeV/c).**

N_{coll} scaled p_T spectra for p and pbar



**N_{coll} scaling ($p_T > 1.5$ GeV)
for all centrality bins**

Central-to-Peripheral Ratio (R_{CP}) vs. p_T




$p : N_{\text{coll}}$ scaling at
 1.5 GeV - 4.5 GeV
 (Not suppressed for
 all centralities)

\square^0 : Suppression
 (central > peripheral)


* Shaded boxes : $N_{\text{part}}, N_{\text{coll}}$ determination errors.

p_T spectra (p vs. π) in Au+Au @ 200 GeV




- Clearly seen p- π merging at $p_T \sim 2$ GeV/c in central.
- No p- π merging in peripheral.
- Suggested significant fraction of p, pbar at $p_T = 1.5 - 4.5$ GeV/c in central.

p/π ratio vs. p_T and centrality



- Both p/π and $p\bar{}/\pi$ ratios are enhanced compared to peripheral Au+Au, p+p and e⁺e⁻ at $p_T = 1.5 \sim 4.5$ GeV/c.
- Consistent with gluon/quark jet fragmentation in peripheral AuAu (> 3 GeV/c)₂





Particle composition beyond 5 GeV ...



~1.6 (p+p data at $s_{NN} = 53$ GeV)

- Deduced particle compositions at high p_T from h/π^0 ratio.
- Peripheral data is consistent with p+p data.
- **Suggested p and pbar contributions in central are limited up to $p_T \sim 5$ GeV/c.**

What is the PHYSICS behind?



- Both **Parton Recombination/Coalescence** and **Baryon Junction** models reproduce p/π ratio (p_T and centrality dep.) qualitatively.
- Both models predict p/π enhancement is limited < 5 GeV/c.
- Another scenarios: Different formation time between baryons and mesons ?
or Strong radial flow + hard scattering ?

Summary

We presented the yield of protons and anti-protons as a function of centrality and p_T in Au+Au at $s_{NN} = 200$ GeV.

- In central collisions at intermediate p_T ($1.5 < p_T < 4.5$ GeV/c), protons and anti-protons are a significant fraction of the total yield.
- Scaling behavior:
 - p: N_{coll} scaling behavior at intermediate p_T for all centralities.
 - ν : suppression @ $p_T > 2$ GeV (central > peripheral).
- $pbar/\nu$ and p/ν ratios are enhanced compared to peripheral Au+Au, p+p and e^+e^- .
- This enhancement is limited to $p_T < 5$ GeV/c as deduced from h/ν^0 measurement at $p_T = 1.5 - 9.0$ GeV/c.



- Brazil** University of São Paulo, São Paulo
- China** Academia Sinica, Taipei, Taiwan
China Institute of Atomic Energy, Beijing
Peking University, Beijing
- France** LPC, University de Clermont-Ferrand, Clermont-Ferrand
Dapnia, CEA Saclay, Gif-sur-Yvette
IPN-Orsay, Université Paris Sud, CNRS-IN2P3, Orsay
LLR, École Polytechnique, CNRS-IN2P3, Palaiseau
SUBATECH, École des Mines at Nantes, Nantes
- Germany** University of Münster, Münster
- Hungary** Central Research Institute for Physics (KFKI), Budapest
Debrecen University, Debrecen
Eötvös Loránd University (ELTE), Budapest
- India** Banaras Hindu University, Banaras
Bhabha Atomic Research Centre, Bombay
- Israel** Weizmann Institute, Rehovot
- Japan** Center for Nuclear Study, University of Tokyo, Tokyo
Hiroshima University, Higashi-Hiroshima
KEK, Institute for High Energy Physics, Tsukuba
Kyoto University, Kyoto
Nagasaki Institute of Applied Science, Nagasaki
RIKEN, Institute for Physical and Chemical Research, Wako
RIKEN-BNL Research Center, Upton, NY
- S. Korea** Cyclotron Application Laboratory, KAERI, Seoul
Kangnung National University, Kangnung
Korea University, Seoul
Myong Ji University, Yongin City
System Electronics Laboratory, Seoul Nat. University, Seoul
Yonsei University, Seoul
- Russia** Institute of High Energy Physics, Protovino
Joint Institute for Nuclear Research, Dubna
Kurchatov Institute, Moscow
PNPI, St. Petersburg Nuclear Physics Institute, St. Petersburg
St. Petersburg State Technical University, St. Petersburg
- Sweden** Lund University, Lund




12 Countries; 57 Institutions; 460 Participants*

- USA** Abilene Christian University, Abilene, TX
Brookhaven National Laboratory, Upton, NY
University of California - Riverside, Riverside, CA
University of Colorado, Boulder, CO
Columbia University, Nevis Laboratories, Irvington, NY
Florida State University, Tallahassee, FL
Georgia State University, Atlanta, GA
University of Illinois Urbana Champaign, Urbana-Champaign, IL
Iowa State University and Ames Laboratory, Ames, IA
Los Alamos National Laboratory, Los Alamos, NM
Lawrence Livermore National Laboratory, Livermore, CA
University of New Mexico, Albuquerque, NM
New Mexico State University, Las Cruces, NM
Dept. of Chemistry, Stony Brook Univ., Stony Brook, NY
Dept. Phys. and Astronomy, Stony Brook Univ., Stony Brook, NY
Oak Ridge National Laboratory, Oak Ridge, TN
University of Tennessee, Knoxville, TN
Vanderbilt University, Nashville, TN

**as of July 2002*




π^0 spectra AuAu 200 GeV




R_{AA} for π^0

$$R_{AA} = \frac{\text{Yield}_{\text{AuAu}} / N_{\text{binary}}}{\text{Yield}_{\text{pp}}}$$

$$R_{AA}^{\text{part}} = \frac{\text{Yield}_{\text{AuAu}} / N_{\text{part}}}{\text{Yield}_{\text{pp}} / 2}$$



PHENIX
nucl-ex/0304022



PHENIX
nucl-ex/0304022